

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	internet near2 address near2 input near2 easy near2 code	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L2	1	"20050050140"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L3	15517	number near2 domain	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L4	12819	pre\$determine\$1 with bytes	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L5	3	L3 same L4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L6	0	("2005/0050140").URPN.	USPAT	OR	ON	2011/01/12 10:43
L7	498963	pre\$determine\$1 with number	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L8	391	L3 same L7	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L9	12815206	@ad<"20020209" @riad<"20020209"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L10	174	L8 and L9	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L11	35	L3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L12	25	L11 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L13	169	L10 not L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L14	17	L13 and IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L15	284924	pre\$etermine\$1 with (bytes sizes bits)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L16	110229	IP near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L17	5054	L15 and L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L18	381	L15 same L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L19	152	L18 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L20	0	"6865608".pn. and predetermin\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L21	0	"6865608".pn. and pre \$determin\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L22	4135	L15 same (class\$2 classification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L23	4135	L22 same pre\$determin\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L24	258676	(cellular mobile wireless) near2 phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L25	167	L23 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L26	53	L25 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L27	6	L26 and IP near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L28	1	"7362727".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L29	0	"20050050140" and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L30	1	"20050050140" and (software program module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L31	146224	(mobile cellular wireless) near2 phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L32	1738	L31 same (domain IP) near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L33	12815206	@ad< "20020209" @rlad< "20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L34	271	L32 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L35	7194	(determin\$3 with request with (IP domain))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L36	2270	L35 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L37	19	L36 and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L38	252	(determin\$3 same convert\$3 same IP same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L39	62	L38 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L40	1	"20030033155"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L41	19369	709/201,202,203.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L42	2	"20050262173" and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L43	0	"20050262173" and (controller same software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L44	0	"20050262173" and (controller same program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L45	2	"20050262173" and (controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L46	1	"20050138642" and (event near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L47	15517	number near2 domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L48	12815206	@ad< "20020209" @rlad< "20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L49	3618	number adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L50	1218928	(wireless near2 phone) cellular mobile PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L51	536	L49 and L48 and L50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L52	5	number\$domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L53	1	10/501739	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L54	1	"6865608".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L55	5	convert\$3 with number with domain with letter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L56	12815206	@ad<"20020209" @rlad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L57	5934162	"5" and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L58	3	L55 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L59	5	convert\$3 with (number numeric) with domain with letter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L60	306	(number numeric) with domain with letter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L61	141	L60 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L62	927	(number numeric) with domain with (letter textual text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L63	35	convert\$3 with (number numeric) with domain with (letter textual text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L64	24	L63 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L65	112	receiv\$3 with number adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L66	49	L65 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L67	1	"20050050140" and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L68	1	"20030039241"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L69	1	"7362727".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L70	3	(auto near5 upload\$3) with pictures	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L71	1	(auto near5 (upload\$3 upload\$3)) with (GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L72	230234	custom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L73	1	custom and "6865608".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L74	0	custom" same URL and linkage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L75	1	"20030039241".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L76	1687	(domain near5 name) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L77	12815206	@ad<"20020209" @riad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L78	703	L76 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L79	5068	(URL) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L80	2084	L79 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L81	738	L80 and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L82	6038	(URL URI) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L83	1360	(URI) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L84	131	L83 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L85	403	(configur\$6 defin\$3 assign\$3 allocat\$3) same L83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L86	31	L85 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L87	5068	(URL) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43



L88	1146	(configur\$6 defin\$3 assign\$3 allocat\$3) same L87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L89	436	L88 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L90	426	(speed near5 dial) same (URL domain web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L91	176	L90 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L92	1	"20050125723".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L93	1	"20030120753".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L94	63	enter\$4 near15 url\$1 near15 (digit\$1 or number\$1) and domain\$1 near15 (digit\$1 or number\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L95	20	L94 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L96	2	"5809243".pn. "6049796". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L97	1	10/501739 and arbitrarily	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L98	1	"20030039241".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L99	461	L81 and (cellular mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L100	1872302	(admin\$8 operator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L101	3	L99 and L91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L102	365	L99 and L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L103	263	speed near5 (dial number digit) near10 (URL webpage site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L104	153	L103 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L105	3	speed near5 (dial number digit) near10 (favorite prefer \$5) near10 (URL webpage site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L106	50	speed near5 (dial number digit) near10 (URL webpage website)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L107	22	L106 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L108	1079	register\$3 near10 (number \$1 digit\$1) near10 (domain URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L109	446	L108 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L110	10	register\$3 near10 (number \$1 digit\$1) near10 (domain URL) same *.com"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L111	18	register\$3 near10 (number \$1 digit\$1) near10 level near2 (domain URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L112	9	register\$3 near10 (number \$1 digit\$1) near10 domain near10 URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L113	0	L112 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L114	9	register\$3 near10 (number \$1 digit\$1) near10 domain\$1 near10 URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L115	133	register\$3 near10 (number \$1 digit\$1) near10 domain\$1 and (URL same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L116	42	L115 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L117	138	register\$3 near10 (numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L118	45	L117 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L119	3	L118 not L116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L120	1873	(mobile cellular) same (screen\$3) same fit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L121	55685	(number numeric) with domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L122	12815206	@ad<"20020209" @rlad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L123	33	L120 and L121 and L122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L124	104	(modifi\$3 near5 resolution) same (cellular mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L125	14	L124 and L122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L126	126830	(number numeric digit) same domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L127	236425	(adapt\$3 scaling modif\$3) near10 (display content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L128	0	"69779093".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L129	1	"6977909".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L130	1	"6101543".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L131	138	register\$3 near10 (numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L132	1091	register\$3 near10 (numeric number\$1 digit\$1) near10 (domain\$1 URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L133	449	L132 and (domain near2 name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L134	7	mapping\$3 near10 (numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain) near10 (exist\$3 fail \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L135	97	(numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain) near10 (exist \$3 fail\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L136	1	"6687242".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L137	23	("20020072395"   "20020111154"   "20020111172"   "20020131404"   "20020154745"   "5724412"   "5974135"   "6064878"   "6141413"   "6192218"   "6282281").PN. OR ("6687242").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/12 10:43
L138	54424	database same (telephone number\$1 digit\$1) same (name URL)	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/12 10:43
L139	527	database same (telephone number\$1 digit\$1) same (name URL) same (look-up)	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/12 10:43
L140	427	(database table) same (telephone number\$1 digit \$1) same (domain URL) same (look-up)	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/12 10:43
L141	59	(database table) same (telephone number\$1 digit \$1) same (domain URL) same (look-up) same (register\$3 add\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/12 10:43
L142	130	(database table) same (telephone number\$1 digit \$1) same (domain URL) same (look-up) same (register\$3 add\$3 input)	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/12 10:43

L143	2	"20020091754".pn. "20020052912".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L144	2	L143 and shortcut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L145	0	10/501739 and preset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L146	0	10/501739 and "pre-set"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L147	0	10/501739 and shortcut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L148	1	10/501739	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L149	1	10/501739 and "pre-stored"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L150	1	10/501739 and "pre-stored" and (second adj domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L151	1	10/501739 and "pre-stored" and (second adj domain) and (contents adj classification adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L152	86	phone adj URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L153	2498	number adj URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43

L154	3618	number adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L155	6025	number adj (domain url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L156	27	L155 and (short adj cut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L157	27	L156 and (type categor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L158	7	L156 and (categor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L159	1	"20030039241".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
L160	1	"20020052912".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/12 10:43
S1	1	"20050050140"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:10
S2	10605	number near2 domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:51
S3	9998	pre\$determine\$1 with bytes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:51
S4	3	S2 same S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:51

S5	0	("2005/0050140").URPN.	USPAT	OR	ON	2008/05/12 09:52
S6	394441	pre\$determine\$1 with number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:53
S7	261	S2 same S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:53
S8	12733506	@ad<"20020209" @rlad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:53
S9	159	S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:53
S10	32	S2 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:54
S11	25	S10 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 09:54
S12	154	S9 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:00
S13	13	S12 and IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:00
S14	229861	pre\$determine\$1 with (bytes sizes bits)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:15
S15	68407	IP near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:15



S16	3024	S14 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:16
S17	236	S14 same S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:16
S18	122	S17 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:17
S19	0	"6865608".pn. and predetermin\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:20
S20	0	"6865608".pn. and pre \$determin\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:20
S21	3393	S14 same (class\$2 classification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:45
S22	3393	S21 same pre\$determin\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:46
S23	151159	(cellular mobile wireless) near2 phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:46
S24	92	S22 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:46
S25	49	S24 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:46
S26	4	S25 and IP near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 10:51

S27	1	"7362727".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 12:49
S28	0	"20050050140" and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:31
S29	1	"20050050140" and (software program module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:31
S30	79801	(mobile cellular wireless) near2 phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:40
S31	952	S30 same (domain IP) near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:40
S32	12733506	@ad<"20020209" @rlad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:42
S33	224	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:42
S34	4181	(determin\$3 with request with (IP domain))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:43
S35	1900	S34 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:44
S36	16	S35 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:44
S37	139	(determin\$3 same convert\$3 same IP same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:46

S38	51	S37 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:47
S39	1	"20030033155"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 13:52
S40	12185	709/201,202,203.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 15:22
S41	1	"20050262173" and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 18:18
S42	0	"20050262173" and (controller same software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 18:18
S43	0	"20050262173" and (controller same program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 18:18
S44	1	"20050262173" and (controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/12 18:18
S45	1	"20050138642" and (event near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/13 14:22
S46	11507	number near2 domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/12/02 18:08
S47	12755165	@ad< "20020209" @rlad< "20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/12/02 18:09
S48	2709	number adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/12/02 18:09

S49	933837	(wireless near2 phone) cellular mobile PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/12/02 18:10
S50	472	S48 and S47 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/12/02 18:10
S51	5	number\$domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/12/02 18:10
S52	1	10/501739	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 09:39
S53	1	"6865608".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 09:47
S54	5	convert\$3 with number with domain with letter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:29
S55	12771182	@ad<"20020209" @riad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:29
S56	5890542	"5" and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:29
S57	3	S54 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:29
S58	5	convert\$3 with (number numeric) with domain with letter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:30
S59	259	(number numeric) with domain with letter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:30

S60	138	S59 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:30
S61	738	(number numeric) with domain with (letter textual text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:31
S62	28	convert\$3 with (number numeric) with domain with (letter textual text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:31
S63	24	S62 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:31
S64	92	receiv\$3 with number adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:35
S65	48	S64 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 13:35
S66	1	"20050050140" and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 14:55
S67	1	"20030039241"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 15:28
S68	1	"7362727".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 15:30
S69	1	(auto near5 upload\$3) with pictures	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 16:20
S70	1	(auto near5 (upload\$3 upload\$3)) with (GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/06/10 16:21

S71	201690	custom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:05
S72	1	custom and "6865608".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:05
S73	0	custom* same URL and linkage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:11
S74	1	"20030039241".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:12
S75	1443	((domain near5 name) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:12
S76	12784546	@ad<"20020209" @rlad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:13
S77	658	S75 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:13
S78	4314	(URL) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:13
S79	1943	S78 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:14
S80	677	S79 and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:14
S81	4978	(URL URI) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:33

S82	980	(URL) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:33
S83	115	S82 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:34
S84	301	(configur\$6 defin\$3 assign\$3 allocat\$3) same S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:36
S85	28	S84 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:36
S86	4314	(URL) same ((mobile telephone) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:40
S87	1003	(configur\$6 defin\$3 assign\$3 allocat\$3) same S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:40
S88	412	S87 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:40
S89	374	(speed near5 dial) same (URL domain web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:47
S90	165	S89 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:48
S91	1	"20050125723".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 17:50
S92	1	"20030120753".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 18:00

S93	52	enter\$4 near15 url\$1 near15 (digit\$1 or number\$1) and domain\$1 near15 (digit\$1 or number\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 18:08
S94	20	S93 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 18:08
S95	2	"5809243".pn. "6049796".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 18:26
S96	1	10/501739 and arbitrarily	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 18:37
S97	1	"20030039241".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 18:54
S98	424	S80 and (cellular mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:01
S99	1731647	(admin\$8 operator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:14
S100	3	S98 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:14
S101	332	S98 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:14
S102	237	speed near5 (dial number digit) near10 (URL webpage site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:17
S103	152	S102 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:17



S104	3	speed near5 (dial number digit) near10 (favorite prefer \$5) near10 (URL webpage site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:18
S105	42	speed near5 (dial number digit) near10 (URL webpage website)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:20
S106	20	S105 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:21
S107	920	register\$3 near10 (number \$1 digit\$1) near10 (domain URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:27
S108	422	S107 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:27
S109	8	register\$3 near10 (number \$1 digit\$1) near10 (domain URL) same ".com"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:27
S110	17	register\$3 near10 (number \$1 digit\$1) near10 level near2 (domain URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:30
S111	6	register\$3 near10 (number \$1 digit\$1) near10 domain near10 URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:30
S112	0	S111 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:30
S113	6	register\$3 near10 (number \$1 digit\$1) near10 domain\$1 near10 URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:31
S114	101	register\$3 near10 (number \$1 digit\$1) near10 domain\$1 and (URL same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:31

S115	37	S114 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:31
S116	105	register\$3 near10 (numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:32
S117	40	S116 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:33
S118	3	S117 not S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 19:33
S119	1657	(mobile cellular) same (screen\$3) same fit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:29
S120	47259	(number numeric) with domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:30
S121	12784546	@ad<"20020209" @riad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:30
S122	31	S119 and S120 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:30
S123	91	(modifi\$3 near5 resolution) same (cellular mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:34
S124	14	S123 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:35
S126	108897	(number numeric digit) same domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:37

S127	209465	(adapt\$3 scaling modif\$3) near10 (display content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:37
S128	998097	(mobile cellular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:38
S129	2119	S126 and S127 and S128 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:38
S130	366718	(number numeric digit) same (domain URL link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:39
S131	14872	S130 same (telephone near5 number\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:39
S132	201	S129 and S131	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 21:40
S133	0	"69779093".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 22:24
S134	1	"6977909".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/01 22:24
S135	1	"6101543".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 10:49
S136	105	register\$3 near10 (numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:32
S137	12784546	@ad<"20020209" @rlad<"20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:32

S138	40	S136 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:32
S139	931	register\$3 near10 (numeric number\$1 digit\$1) near10 (domain\$1 URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:34
S140	373	S139 and (domain near2 name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:34
S141	185	S140 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:34
S142	142244	(phone near2 number) (telephone near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:35
S143	104	S141 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:36
S144	324327	(phone near2 number) (telephone near2 number) (cell near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:36
S145	109	S141 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:36
S146	6	mapping\$3 near10 (numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain) near10 (exist\$3 fail \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:39
S147	86	(numeric number\$1 digit\$1) near10 domain\$1 and (URL same domain) near10 (exist \$3 fail\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:39
S148	50	S147 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:39

S149	1	"6687242".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/02 18:48
S150	21	("20020072395"   "20020111154"   "20020111172"   "20020131404"   "20020154745"   "5724412"   "5974135"   "6064878"   "6141413"   "6192218"   "6282281").PN. OR ("6687242").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 18:53
S151	47020	database same (telephone number\$1 digit\$1) same (name URL)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:02
S152	23428	S151 and S137	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:02
S153	11766	S144 and S152	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:02
S154	488	database same (telephone number\$1 digit\$1) same (name URL) same (look-up)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:03
S155	281	S154 and S137	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:03
S156	378	(database table) same (telephone number\$1 digit \$1) same (domain URL) same (look-up)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:05
S157	221	S156 and S137	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:05
S158	52	(database table) same (telephone number\$1 digit \$1) same (domain URL) same (look-up) same (register\$3 add\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:07
S159	115	(database table) same (telephone number\$1 digit \$1) same (domain URL) same (look-up) same (register\$3 add\$3 input)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:07
S160	53	S159 and S137	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/02 19:07
S161	2	"20020091754".pn. "20020052912".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:44

S162	2	S161 and shortcut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:44
S163	0	10/501739 and preset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:46
S164	0	10/501739 and "pre-set"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:46
S165	0	10/501739 and shortcut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:46
S166	1	10/501739	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:46
S167	1	10/501739 and "pre-stored"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 16:48
S168	1	10/501739 and "pre-stored" and (second adj domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:05
S169	1	10/501739 and "pre-stored" and (second adj domain) and (contents adj classification adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:07
S170	81	phone adj URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:24
S171	12805045	@ad< "20020209" @rlad< "20020209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:24
S172	30	S170 and S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:24

S173	28	S172 and (type categor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:24
S174	2378	number adj URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:26
S175	3415	number adj domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:27
S176	5709	number adj (domain url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:27
S177	27	S176 and (short adj cut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:27
S178	27	S177 and (type categor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:27
S179	16	S178 and S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:27
S180	7	S177 and (categor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:28
S181	1	"20030039241".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:48
S182	1	"20020052912".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/08/24 17:54

1/12/2011 11:19:11 AM

C:\Documents and Settings\ktang4\My Documents\EAST Workspaces\10501739.wsp